






























TYPES OF RAIN GUNS	S/N	PHOTO	NAME AND SPECIFICATION	PRICE/U NIT (NAIRA)
Plastic sprinkler	1		Butterfly sprinkler, 1/2" & 3/4" female thread, Working pressure: 1.5-2.5 bar, Flow rate: 600-1000L/H, Spray radius: 3-7m	2,500
	2		Butterfly sprinkler, 1/2" male thread, Working pressure: 1.5-2.5 bar, Flow rate: 600-1000L/H, Spray radius: 3-7m	2,500
	3		Butterfly sprinkler, 1/2" & 3/4" Female thread, Working pressure: 1.5-2.5 bar, Flow rate: 500-700L/H, Spray radius: 2.5-5.5m	2,500
	4		Butterfly sprinkler, 1/2" Male thread, Working pressure: 1.5-2.5 bar, Flow rate: 500-700L/H, Spray radius: 2.5-5.5m	2,500
	5		Butterfly sprinkler, 1/2" Male thread, Working pressure: 1.5-3.0 bar, Flow rate: 400-700L/H, Spray radius: 3-6m	2,500
	6		Impact sprinkler, 1/2" male thread, working pressure: 1.0-3.0 bar; Flow rate: 80-270L/H; Spray radius: 4.25-7.50m	3,000
	7		Impact sprinkler, 1/2" Female thread, working pressure: 1.0-3.0 bar; Flow rate: 80-270L/H; Spray radius: 4.25-7.50m	3,000






8		<p>Meganet anti-insect sprinkler, 1/2" male thread, Green nozzle, working pressure 1.5-3.5bar, flow rate: 244-381L/H; Spray radius: 7-7.5m</p>	4,000
9		<p>Meganet anti-insect sprinkler, 1/2" male thread, Brown nozzle, working pressure 1.5-3.5bar, flow rate: 324-517L/H; Spray radius: 7.5-8.2m</p>	4,000
10		<p>Meganet anti-insect sprinkler, 1/2" male thread, Orange nozzle, working pressure 1.5-3.5bar, flow rate: 397-640L/H; Spray radius: 7.5-8.5m</p>	4,000
11		<p>Plastic sprinkler, 1/2", male thread, Blue nozzle, working pressure: 2.5-4.0 bar; Flow rate:360-455L/H; Spray radius: 8-8.5m</p>	3,800
12		<p>Plastic sprinkler, 1/2", male thread, yellow nozzle, working pressure: 2.5-4.0 bar; Flow rate:450-570/h; Spray radius: 10m</p>	3,800
13		<p>Plastic sprinkler, 1/2", male thread, green nozzle, working pressure: 2.5-4.0 bar; Flow rate:550-695/h; Spray radius: 10m</p>	3,800
14		<p>Plastic sprinkler, 1/2", male thread, Red nozzle, working pressure: 2.5-4.0 bar; Flow rate:670-820/h; Spray radius: 10.5m</p>	3,800






15		Plastic sprinkler, 1/2", male thread, 180° degree spray with reflector; working pressure: 2.5-4.0 bar; Flow rate:391-506L/H; Spray radius: 9.5-10m	4,500
16		Plastic sprinkler, 1/2", male thread, working pressure: 2.0-4.0 bar; Flow rate:150-360L/H; Spray radius: 6.7-8.5m	3,800
17	 RM8022	Plastic sprinkler, 1/2", male thread, dual nozzle design, working pressure: 2.0-4.0 bar; Flow rate:0.36-1.58m³/h; Spray radius: 10.25-12.75m	4,000
18	 RM8023	Plastic sprinkler, 1/2", male thread, one nozzle design, working pressure: 2.0-4.0 bar; Flow rate:0.35-0.93m³/h; Spray radius: 8.25-11.00m	4,000
19	 RM8024	Plastic sprinkler, 1/2", male thread, one nozzle design, working pressure: 2.0-4.0 bar; Flow rate:0.48-1.01m³/h; Spray radius: 9.25-11.75m	4,000
20	 RM8427	Plastic sprinkler, 1/2", male thread, 20° to 340° arc or full circle operation, adjustable deflector plate, working pressure: 2.0-4.0 bar; Flow rate:0.45-1.03m³/h; Spray radius: 11-13m	4,000




21		Plastic sprinkler, 3/4", male thread, Dual nozzle design, working pressure: 3.0-5.0 bar; Flow rate:0.73-4.6m ³ /h; Spray radius: 13.25- 18m	6,500
22		Plastic sprinkler, 3/4", male thread, 20° to 340° arc or full circle operation, working pressure: 3.0-5.0 bar; Flow rate:0.81-2.1m ³ /h; Spray radius: 13.25- 18m	6,500
23		Plastic sprinkler, 1", Female thread, full circle, working pressure: 3.0-5.0 bar; Flow rate:0.9- 2.5m ³ /h; Spray radius: 14-19m	8,000
24		Support with Female Thread, Dn12*1/2"	2,000
25		Offtake Connector, Dn10*8	500
26		Barb Connector, Dn12*8	500
27		End Line, Dn8	500
28		Fiberglass stake 1m tall	500

29		Sprinkler Assembly Set (including 1m tall fiberglass stake+ 1.3m long 8mm PVC pipe PV01128 +5193+5191+5192+5195+ Sprinkler RM8022)	10,000
30		Plastic impulse sprinkler, Material: POM, ABS 1/2" male thread, Circle or part circle operation, Working pressure: 1.5-3.5 bar; Flow rate: 0.75-1.2m ³ /h; Spray radius: 4-7.5m	4,000
31		Plastic impulse sprinkler with three legs	10,000
32		Plastic spike, gray, 1/2" female thread, 20cm tall	2,000
33		Zinc alloy spike, 1/2" female thread, 20cm tall	2,000
34		plastic impulse sprinkler with spike, 20cm tall 1/2" male thread, Circle or part circle operation, Working pressure: 1.5-3.5 bar; Flow rate: 0.75-1.2m ³ /h; Spray	5,000

			radius: 4-7.5m	
35		Plastic impulse sprinkler with zinc spike, 20cm tall 1/2" male thread, Circle or part circle operation, Working pressure: 1.5-3.5 bar; Flow rate: 0.75-1.2m ³ /h; Spray radius: 4-7.5m		5,000
36		Plastic impulse sprinkler with Butterfly base Material: PP, ABS		5,000
37		Plastic impulse sprinkler with single wing spike		6,000
Metal sprinkler	38		Zinc alloy and Brass impulse sprinkler, 1/2" male thread, Circle or part circle operation, working pressure: 2-3.5 bar, flow rate: 0.8-1.5 m ³ /h; Spray radius: 8-12m	5,000

39		Metal impulse sprinkler with three legs	6,000
40		metal impulse sprinkler with zinc spike,20cm tall 1/2" male thread, Circle or part circle operation, working pressre: 2-3.5 bar, flow rate: 0.8-1.5 m³/h; Spray radius: 8-12m	5,500
41		metal impulse sprinkler with zinc spike,20cm tall 1/2" male thread, Circle or part circle operation, working pressre: 2-3.5 bar, flow rate: 0.8-1.5 m³/h; Spray radius: 8-12m	4,000
42		Metal impulse sprinkler with Butterfly base Material: PP, ABS,brass, Zinc alloy	4,000
43		Metal impulse sprinkler with single wing spike	7,000

	44	 <p>RM8015</p>	<p>Brass impact sprinkler 1/2" male thread, Dual nozzle design, stainless Steel springs and fulcrum pin working pressure: 2.0-4.0 bar; Flow rate:0.636-2.256m³/h; Spray radius: 11-15.50m</p>	10,000
	45	 <p>RM8029</p>	<p>Zinc alloy and brass impact sprinkler 1/2" male thread, Dual nozzle design, stainless Steel springs and fulcrum pin working pressure: 2.0-4.0 bar; Flow rate:0.36-1.58m³/h; Spray radius: 10.5-13m</p>	7,000
	46		<p>Zinc alloy and brass impact sprinkler 1/2" male thread, Dual nozzle design, 20° to 340° arc or full circle operation, working pressure: 2.0-4.0 bar; Flow rate:0.36-1.58m³/h; Spray radius: 10.5-13m</p>	6,000
	47	 <p>RM8034D</p>	<p>Brass impact sprinkler 3/4" male thread, Dual nozzle design, stainless Steel springs and fulcrum pin; working pressure: 1.7-5.5 bar; Flow rate:0.66-3.27m³/h; Spray radius: 13.1-18.40m</p>	6,000
	48	 <p>RM8041</p>	<p>Brass impact sprinkler 3/4" male thread, Dual nozzle design, stainless Steel springs and fulcrum pin;20° to 340° arc or full circle operation, working pressure: 1.7-5.5 bar; Flow rate:0.66-3.27m³/h; Spray radius: 13.1-18.40m</p>	7,000

	49		<p>Aluminium alloy and brass impact sprinkler 1" female thread, stainless Steel springs and fulcrum pin;Brass diffuser screw, 20° to 340° arc or full circle operation, working pressure: 1.5-4.0 bar; Flow rate:1.2-3.6m³/h; Spray radius: 12-17m</p>	15,000
	50		<p>Aluminium alloy and brass impact sprinkler 1-1/2" female thread, stainless Steel springs and fulcrum pin;Dual nozzle design, Dual brass diffuser screw, working pressure: 2.0-6.0 bar; Flow rate:5.1-24.8m³/h; Spray radius: 16-29m</p>	15,000
	51		<p>Aluminium alloy and brass impact sprinkler 1-1/2" female thread, stainless Steel springs and fulcrum pin; Brass diffuser screw, 20° to 340° arc or full circle operation, working pressure: 2.0-6.0 bar; Flow rate:5.1-24.8m³/h; Spray radius: 16-29m</p>	20,000